

PART- I
तकनीकी बिड

**AYODHYA DEVELOPMENT AUTHORITY,
AYODHYA**

Civil line, parikrama marg, Ayodhya.

PRE-QUALIFICATION BID

Name of work: - अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट अयोध्या- बस्ती फ्लाईओवर पर 3D पेन्टिंग का कार्य एवं उसके नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।

Date of Tender: - 10.09.2025 to 18.09.2025, 04:00PM

Date of Opening Technical Bid: - 19.09.2025, 01:00PM

कार्यालय, अयोध्या विकास प्राधिकरण, अयोध्या

ई-निविदा सूचना

कार्यालय-अयोध्या विकास प्राधिकरण द्वारा ठेकेदारों (ओपेन टू आल) से निम्नानुसार प्रतिस्पर्धात्मक ई-निविदा के माध्यम आमन्त्रित की जाती है। विस्तृत नियम व शर्तों की जानकारी कार्यालय कार्य दिवस में अभियन्तण अनुभाग से प्राप्त की जा सकती है।

क्र० सं०	कार्य का नाम	आगणन धनराशि	धरोहर धनराशि	निविदा मूल्य (GST सहित)	निविदा जमा करने की अंतिम तिथि	कार्य की अवधि
1.	अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट अयोध्या- बस्ती प्लाईओवर पर 3D पेन्टिंग का कार्य एवं उसके नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।	41,36,218.24	82,750.00	5,900.00	18.09.2025 04:00PM	01 माह

(क)नोट -

- विस्तृत जानकारी ई-निविदा पोर्टल etender.up.nic.in / प्राधिकरण की बेबसाइट www.ayodhya.in तथा कार्यालय कार्य दिवस में अभियन्तण अनुभाग से प्राप्त की जा सकती है।
- टेंडर डालने से पूर्व निविदा मूल्य (Tender Cost/ Bid Processing Fee) व धरोहर धनराशि (Earnest Money Deposit) प्राधिकरण कोष, में दिये गये लिंक <https://emdada.ayodhyada.in/loginWithotp> के माध्यम से केवल ऑनलाइन जमा किया जाना अनिवार्य होगा।

निविदाएं केवल ओवर ऑल प्रतिशत पर ही मान्य होंगी। सशर्त निविदाएं मान्य न होंगी। निविदा के किसी भाग अथवा सम्पूर्ण निविदा को बिना कारण बताएं निरस्त करने का अधिकार उपाध्यक्ष, अयोध्या विकास प्राधिकरण में निहित होगा। शासनादेश के अनुसार ठेकेदारों से नियमानुसार रायल्टी जी०एस०टी० एवं समस्त कटौतियां प्रचलित व्यवस्था के अनुसार की जायेंगी। समस्त निविदाओं के साथ शासन के गृह (पुलिस) अनुभाग-14 के पत्र संख्या-87यू०ओ०/छःपु० 14-07-185/07 दिनांक 12 सितम्बर 2007 द्वारा जिलाधिकारी द्वारा प्रदत्त निर्धारित प्रपत्र संख्या PWD-T-4 पर चरित्र प्रमाण पत्र, PWD-T-5 पर हैसियत प्रमाण-पत्र एवं PWD-T-6 पर (शपथ पत्र) ₹०-100.00 (रु० एक सौ मात्र) के स्टैम्प पेपर पर नोटरी द्वारा साक्ष्यों की उपस्थिति में सत्यापित किया हुआ संलग्न किये जायेंगे। कार्य को निर्धारित समय अवधि के अन्दर पूर्ण करना होगा। अर्नेस्टमनी व टेंडर कास्ट प्रत्येक कार्य हेतु अलग-अलग देय होगी। निविदा दरें निम्न होने की दशा पर लोक निर्माण विभाग द्वारा निर्गत शासनादेश के अनुसार 10 प्रतिशत से अधिक Below दर पर 1% प्रति प्रतिशत कम दर पर अतिरिक्त परफार्मेंस गारण्टी ली जाने की व्यवस्था निर्धारित है। समस्त निविदाओं के सम्बन्ध में टेंडर डालने से पूर्व टेंडर कॉस्ट व अर्नेस्टमनी प्राधिकरण कोष में केवल दिये गये लिंक <https://emdada.ayodhyada.in/loginWithotp> के माध्यम से ऑनलाइन जमा करने के साथ ही भुगतान की प्रति टेंडर के साथ संलग्न किया जाना अनिवार्य होगा। इस शर्त का पालन न करने पर निविदा पर विचार नहीं किया जायेगा।

टेक्निकल बिड के साथ प्राधिकरण द्वारा मांगे गये प्रपत्रों का एक INDEX बनाकर, जिसमें प्रपत्र का विवरण एवं पृष्ठ संख्या स्पष्ट रूप से अंकित हो संलग्न करते हुए उसकी सॉफ्ट कापी निविदा पोर्टल पर अपलोड किया जाना है।

(ख) नोट - विस्तृत नियम व शर्तों की जानकारी प्राधिकरण कार्यालय कार्य दिवस में अभियन्तण अनुभाग से अथवा Ayodhya.in / etender.up.nic.in के माध्यम से प्राप्त की जा सकती हैं।

- निविदा के साथ दी जाने वाली प्रतिभूति की धनराशि, कार्य पूर्ण करने हेतु निर्धारित समय, कार्य की श्रेणी व अन्य शर्तें एवं विवरण निविदा सूचना में अंकित शर्तों, विवरण एवं 'नोट' के अनुसार लागू होगी। निविदा सूचना निविदा प्रपत्र का एक अंश है।
- समान कार्यों की सूची साथ में संलग्न है। निविदादाता की निविदा उल्लिखित कार्य के अनुभव की मान्य होगी एवं संलग्न सूची के अनुसार समान कार्यों के अनुभव भी मान्य होंगे।

- 3 सफल निविदादाता से स्वीकृत निविदा धनराशि का 05 प्रतिशत जमानत धनराशि अनुबन्ध के समय RTGS/FD/ Bank Guaranty/ KVP /NSC के रूप में जमा करायी जाएगी।
- 4 ठेकेदारों के चालित देयकों से 05 प्रतिशत जमानत धनराशि काटी जाएगी तथा 5 प्रतिशत कार्य सन्तोषजनक रूप से पूर्ण होने एवं अनुरक्षण अवधि समाप्त होने के पश्चात् ही वापस किया जायेगा।
- 5 किसी भी एक अथवा समस्त निविदाओं को अस्वीकृत कर देने का अधिकार सुरक्षित रहेगा इस सम्बन्ध में किसी भी व्यक्ति तथा व्यक्तियों द्वारा निविदा के अस्वीकृत होने के कारण को पूछा नहीं जा सकता है।
- 6 किसी भी निविदा पर तब तक विचार नहीं किया जायेगा जब तक कि उसके साथ अग्रिम धनराशि जमा करने की रसीद अथवा निविदा सूचना के अनुसार अग्रिम धनराशि संलग्न न होगी।
- 7 निविदा की दर तथा जोड़ को शब्दों तथा अंकों में स्पष्ट रूप से भरा जायें तथा कोई भी कटिंग व ओवर राइटिंग न की जायेगी अन्यथा निविदा अस्वीकृत कर दी जायेगी।
- 8 सफल निविदा दाता निविदा की स्वीकृति प्राप्त करने के पश्चात् 15 दिन के अन्दर स्पष्ट रूप से अनुबन्ध पर हस्ताक्षर नहीं करेंगे तो निविदा के साथ जमा किया हुआ धनराशि जब्त कर लिया जायेगा तथा निविदा की स्वीकृति वापस कर ली जायेगी।
- 9 ठेकेदार अपनी निविदा में दर उसी प्रकार से भरेगा जिस प्रकार से निविदा पत्र में मांगी गयी हों।
- 10 निविदा देने की तिथि से निविदा 03 माह तक वैध रहेगी।
- 11 जो पता ठेकेदार का निविदा में मिलेगा वही पता मान्य होगा और इस पते पर भेजी गई डाक यदि डाकखाने से किसी कारण से वितरित न होकर वापस हो जाती है तो समझा जायेगा कि ठेकेदार द्वारा स्वीकार कर ली गई है।
- 12 सामान्य निविदा के लिए प्रत्येक कार्य की निविदा के लिफाफे पर कार्य का नाम स्पष्ट रूप से अंकित होगी।
- 13 साधारण एवं विशेष शर्तों/नियमों का पालन न होने पर निविदा मान्य न होगी और ठेकेदार को डिबार कर दिया जायेगा एवं ब्लैक लिस्ट भी किया जा सकता है।
- 14 निविदादाता द्वारा दिये गये दस्तावेजों / प्रमाण-पत्रों के गलत पाये जाने पर कार्य/ अनुबन्ध की स्वीकृति को तत्काल निरस्त करते हुए ठेकेदार द्वारा जमा धरोहर/ जमानत धनराशि के सम्बन्ध में सक्षम स्तर से निर्णय लेते हुए कार्यवाही की जायेगी तथा ठेकेदार को डिबार/ ब्लैक-लिस्ट किया जा सकता है।
- 15 निविदा खोलने की तिथि अवकाश की स्थिति में निविदा अगले कार्य दिवस में खोली जायेगी।
- 16 सशर्त निविदा मान्य नहीं होगी।
- 17 फर्म द्वारा निविदा में प्रतिभाग करने से पूर्व स्थल की भौतिक स्थिति से भली-भांति आश्रित (Awareness) होना अनिवार्य है।
- 18 उक्त कार्य दीपोत्सव पर्व से पूर्व कराया जाना है, इच्छुक फर्म स्थल का निरीक्षण कर कार्य की वास्तविक स्थिति से अवगत होते हुए ही कार्य की निविदा में प्रतिभाग करना सुनिश्चित करें।

पी0डब्लू0सी0
{अभियन्तण अनुभाग}

अधि0अभि0
अयोध्या विकास प्राधिकरण
अयोध्या

ठेकेदार के हस्ताक्षर
तथा पता:

(ग) पार्ट-1 तकनीकी बिड के साथ अपलोड किये जाने वाले प्रपत्र


निविदा 2 बिड सिस्टम के आधार पर डाली जायेगी तकनीकी बिड में निम्नलिखित अभिलेख रखे जायेंगे।

1. उपयुक्त श्रेणी में पंजीकृत होने का प्रमाण पत्र।
2. अर्नेस्ट मनी डिपोजिट जमा करने का प्रमाण पत्र।
3. टेण्डर मूल्य जमा करने का प्रमाण पत्र।
4. समान कार्य अनुभव प्रमाण। (Similar Work)
5. UDIN सहित टर्न ओवर प्रमाण पत्र।
6. टी0 एण्ड पी0 का शपथ पत्र।
7. तकनीकी स्टाफ का शपथ।
8. फर्म का विवरण (प्रोपराइटर/पार्टनरशिप/प्रा0लि0/लि0)
9. चरित्र प्रमाण पत्र।
10. पार्टनरशिप डीड (आवश्यकता अनुसार)/ MOA of company
11. बैंक द्वारा जारी लिक्विड एसेट्स सर्टिफिकेट।
12. साल्वेन्सी (हैसियत प्रमाण पत्र)।
13. ब्लैक लिस्टिंग न होने का शपथ पत्र।
14. पंजीकरण का स्थान।
15. श्रम विभाग का पंजीकरण
16. आयकर रिटर्न (विगत 03 वर्ष)
17. ESI, EPF के प्रपत्र (मैनपावर से सम्बंधित निविदों के लिए मान्य)
18. पॉवर ऑफ अटोर्नी
19. बिड कपैसिटी (Section 3 Qualification Information) निर्धारित शपथ पत्र पर।
20. Anti-Collusion certificate

तकनीकी रूप से अर्ह निविदादाता की ही निविदा की वित्तीय बिड खोली जायेगी। क्रम संख्या 1 से लेकर 20 तक के प्रपत्र अपलोड करना अनिवार्य है। विस्तृत विवरण के लिए **REQUIREMENTS FOR PREQUALIFICATION OF TENDER** में निर्धारित नियम शर्तों का अवलोकन अवश्य कर लें।



अवर अभियन्ता
अ0वि0प्रा0अयो0



सहायक अभियन्ता
अ0वि0प्रा0अयो0



अधिशाली अभियन्ता
अ0वि0प्रा0अयो0

(घ) INFORMATION & INSTRUCTIONS FOR THE TENDERER

1. The application should be type-written. The applicant should sign each page of the application.
2. Over Writing should be avoided. Correction, if any, should be made by neatly crossing out, initialing, dating & re-writing.
3. The applicant may furnish any Additional information which he thinks is necessary to establish his capabilities to successfully complete the envisaged work. He is however advised not to furnish superfluous information. No information shall be entertained after submission of pre-qualification document unless it is called for by the Employer.
4. Any information furnished by the applicant found to be incorrect either immediately or at a later date, would render him liable to be debarred from tendering/taking up of work in Ayodhya Faizabad Development Authority. If search applicant happens to be enlisted contractor of any class in ADA his name shall be removed from approved list of contractors.
5. The tenderer shall submit as two bid system in accordance with the procedures specified. Documents shall be submitted in envelope of appropriate size, which shall be duly sealed.
6. Conditional tender shall not be considered.
7. Tender document is to be submitted in two bid system i.e. technical bid and financial bid

(३.) Envelope No-2 (Price Bid).

(a- Price bid duly filled in all respects in the original tender documents.

(b- Non-Judicial stamp paper of Rs. 10/- (Rs. Ten Only) of UP along with Rs. 1/- revenue stamp.

System to open Tenders:

(a- Envelope No-1 containing the earnest money deposit and pre-qualification document shall be opened first on specified date & time.

(b- Envelope shall be containing the sealed price bid of only pre-qualified tenders shall be opened on the fixed date. The quoted rates of various tenders will be read out. Tenders desirous to be present shall be allowed at the time of opening of price bid.



Ex. Engineer

A.D.A.

(च) REQUIREMENTS FOR PREQUALIFICATION OF TENDER

1. Tender Cost- निविदा सूचना के अनुसार ऑनलाइन जमा करानी होगी।
2. E.M.D.- निविदा सूचना के अनुसार ऑनलाइन जमा करानी होगी।
3. Proof of solvency:

Minimum solvency required is 40% of total estimated cost of the tender.

- (i) In case individuals, firms and Undivided Hindu Families, proof of solvency of the applicant will consist of a fixed assets certificate (हैसियत प्रमाण पत्र) signed by the District Magistrate and required Solvency certificate signed by Manager of the bank regarding the cash assets of the applicant. (issue within a period of maximum six months from the date of publication of tender) From Nationalized/ Scheduled Bank.
- (ii) In case of private limited company/ public limited company/ LLP Firm the proof of the company solvency will be its last balance sheet audited and certified by the Chartered Accountant or certificate/ reference of a Nationalised/ Scheduled bank. (issue within a period of maximum six months from the date of publication of tender)
4. Average annual financial turnover on Construction works should be at least 30% of the estimated cost during the immediate LAST 3 consecutive financial years Certified from CA with UDIN No.
5. Proof of Liquid Assets Certificate required - 15% of the total value of work (issue within a period of maximum three months). From Nationalized / Scheduled Bank.
6. Proof of previous experience: **(Beautification & Miscellaneous Work)**
 - (1) Experience of having successfully completed works during the last 7 years ending last day of the month previous to the one in which applications are invited with Govt./ Semi Govt./ PSU only:
Three similar completed works costing not less than the amount equal to 40% of estimated cost put to tender

Or

Two similar completed works costing not less than the amount equal to 50% of estimated cost put to tender

Or

One similar completed works of aggregate cost not less than the amount equal to 80% of estimated cost put to tender.
 - (2) Experience of having successfully completed works during the last 7 years ending last day of the month previous to the one in which applications are invited:

For Similar works of different work: -		
S.No.	Nature of Work	Experience Required
1.	Bituminous Road work, Resurfacing work	Experience in Bituminous Road Work Only.
2.	Building Construction/ Multistorey Building Construction	Experience in building/ Multistorey RCC Frame Structure G+4 building and above with basement only.

3A.	Sewer and water supply/ OHT Construction	Experience in any such similar work (Registered Contractor of Jal Nigam will also be eligible for participation).
3B.	Sewer Cleaning.	Experience in such work only.
4.	Survey work- Topographical survey, level, contouring etc.	Experience in such survey work only.
5A.	C.C. Road work, RCC Divider	Experience in any such similar work.
5B	Brick Drain, Footpath, Interlocking Tiles, Boundary wall, Masonry work, Building Repair work.	Experience in any such work only.
5C	Miscellaneous Work- Railing Painting, Earth Filling, levelling, Garbage Disposal, Road and Drain Cleaning, Jungle Cleaning etc.	Experience of same type of work.
5D	RCC Drain, RCC Retaining Wall, RCC Culvert, Storm Water drainage project.	Experience in any such similar work.
6	Maintenance Work: - (a) Maintenance of Horticulture Work (b) Maintenance of Apartments/ Buildings/ Colony	Experience of Horticulture work Only. Experience of Apartments/ Buildings only, such as Housekeeping, Supply of Labour etc.
7	Signages, logo, road signages along highway and arterial roads,	Experience in anyone along with structure.
8	Boundary Wall with Grill / Railing	Experience of same type of work.
9	Pond/ Lake/ Ghat/ park Development, Land Scaping works	Experience of same type of work.

- Bidder should be attach required same nature of work or above listed related similar nature of work mentioned in BOQ.
- Work should be clearly mentioned in the Experience Certificate having, Date of start, Date of actual completion, Details of majorly items with amount.

नोट-

- कम्बाइंड वर्क में मदवार अनुभव अर्थात् किसी अनुभव प्रमाण पत्र में सड़क, नाला, आर0सी0सी0 नाला, आर0सी0सी0 कल्वर्ट, आर0सी0सी0 रीटेनिंग वॉल, पार्क आदि का सम्मिलित प्रमाण पत्र है तो समान प्रकृति के कार्य हेतु सभी प्रकार के कार्यों का मदवार किये गये कार्य का धनांक अंकित होना आवश्यक है।
- फर्म द्वारा अनुभव प्रमाण पत्र टेण्डर डाक्यूमेन्ट में संलग्न प्रारूप के अनुरूप ही मान्य होंगे।
- सड़क में बिटुमिन सम्बन्धी, बी0एम0 व एस0डी0सी0 आदि कार्य में हॉटमिक्स प्लाण्ट अयोध्या विकास प्राधिकरण मुख्यालय से 50 कि0मी0 की परिधि में स्थापित होना आवश्यक है।
- अनुभव 07 वर्षों में संतोषजनक रूप से पूर्ण किये गये कार्य का ही मान्य होगा। अनुभव के सम्बन्ध में कार्य पूर्णता की तिथि/ प्रमाण पत्र के आधार पर वित्तीय वर्ष की गणना की जाएगी। अनुभव प्रमाण पत्र में अनुभव की धनराशि प्रति वर्ष 5 प्रतिशत वार्षिक की दर से बढ़ाकर गणना कर मानी जाएगी (उदाहरणार्थ, 01 वर्ष पुराने कार्य के लिए 5 प्रतिशत तथा 02 वर्ष पुराने कार्य के लिए 10 प्रतिशत आदि)।
- आर0सी0सी0 नाले का निर्माण कार्य अयोध्या शहर में वर्तमान में प्रवाहित कच्चे नाले का समुचित डाइवर्जन की व्यवस्था फर्म द्वारा करते हुए निर्माण कार्य कराया जाएगा।

7. Proof of employment of technical staff will consist of a declaration by the contractor as given below. The declaration by the contractor will be given in the form attached Appendix 'B' (in the presence of Notary Public giving details of the required staff)

GENERAL GUIDELINES FOR FIXING REQUIREMENT OF TECHNICAL STAFF FOR A WORK

Cost of Work (Rs. In Lac)	Requirement of Technical staff		Minimum experience (Years)	Designation
	Qualification	Number		
More than 1000	• Project Manager with degree in corresponding discipline of Engineering.	1	10	Principal Technical Representative
	• Graduate Engineer	1	5	Technical represents
	• Graduate Engineer Or	2	Nil	Technical
	Diploma Engineer	2	5	Representative
500 to 1000	• Graduate Engineer	1	5	Principal Technical Representative
	• Graduate Engineer Or	2	Nil	
	Diploma Engineer	2	5	Technical represents
200 to 500	• Graduate Engineer	1	5	Principal Technical Representative
	• Graduate Engineer Or	1	Nil	
	Diploma Engineer	1	5	Technical represents
50 to 200	• Graduate Engineer	1	2	Principal Technical Representative
10 to 50	• Graduate Engineer Or	1	Nil	Principal Technical Representative
	Diploma Engineer	1	5	

Note: - 1. Rate of Recovery in case of non-compliance of above be stipulated at following rates-

S.No.	Qualification	Experience (years)	Rate of recovery
i)	Project Manager with Degree	10	Rs. 50,000/- p.m.
ii)	Graduate Engineer	5	Rs. 30,000/- p.m.
iii)	Graduate Engineer Diploma Engineer	Nil 5	Rs, 20,000/- p.m.

8. Proof of possession of required machinery, tools, plant, centring & shuttering will consist of a declaration in shape of an affidavit on Rs. 10/- non-judicial stamp paper duly verified by the notary public in Prescribed Performa duly verified by the Notary in the Proforma as per Appendix 'C'. Proof of possession and use of required machinery, tools and plants will be given by the tenderers by way of declaration.

The minimum requirement of T&P possessed by the firm shall be follows: -

(1) Road Roller/ Vibratory	-	02
(2) Trunk/ Tipper	-	02
(3) Water Tanker	-	02
(4) Water Pumps	-	02
(5) Vibratory Roller	-	01
(6) Hot mix plant & paver (Applicable for bituminous work) -		01

The bituminous work B.M., D.B.M., B.C. and S.D.B.C., will have to be done by hot mix plant and paver only.

(7) Excavator	-	01
(8) Concrete Mixture with hopper	-	01
(9) Vibrator	-	02
(10) Needle	-	01
(11) Surface	-	01
(12) Concrete batch mix plant of capacity 15 Cum/Hr.	-	01
(13) Grader (Applicable for WBM/WMM/GSB)	-	01

9. Contractor will have to submit the character certificate issued by the District Magistrate in the name of partners in case it is the partnership firm, proprietor, in case it is proprietorship firm/ contractor, Directors in case it is Pvt. Ltd. Firm etc. without character certificate the tender shall be rejected.

10. The tenderer should submit the notarized affidavit that the tenderer/ firm has not been blacklisted any state/ central government department/ organization. The e-tender of blacklisted contractor or not submitting the required affidavit shall be rejected.

10(A) Memorandum and Article of Association showing objectives of the Company/ firm and authority to sign the e-tender/ contract or delegate the power to other for signing the e-Bid/ contract

10(B) Place of registration

10(C) The Power-of-attorney authorizing the tenderer to sign the e-tender/ contract.

10(D) In case of firm, duly certified copy of partnership deed and registration certificate; in case of company, deed for article of association and power of attorney for the person concerned to authorize to sign the tender and agreement.

11. For the work where man power supply is included, valid registration/ license of labour dept, E.S.I. and E.P.F. are also required to be submitted.

12. The tenderer should submit the notarized affidavit of Anti-Collusion Certificate (In required format attached in tender Document)

13. Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity for construction work is equal to or more than the total bid value. The available bid capacity will be calculated as under:

$$\text{Assessed Available Bid capacity} = (A * N * M - B)$$

Where,

A = Maximum value of civil engineering works executed in any one year during the last five years (updated to the price level of the last year at the rate of 8 percent a year) taking into account the completed as well as works in progress.

N = Number of years prescribed for completion of the works for which bids are invited (period up to 6 months to be taken as half-year and more than 6 months as one year).

M = M is taken 2.5

B = Value, at the current price level, of existing commitments and on-going works to be completed during the period of completion of the works for which bids are invited.

Note: The statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer in charge, not below the rank of an Executive Engineer or equivalent.

14. The details regarding pre-qualification and tender containing rates are to be uploaded as per up to due date & time in the prescribed format. Non furnishing of required details/ incomplete details will lead to rejection of tender. In case it is found that the details furnished are fake/ false/ fabricated the firm shall be black listed without any notice.

15. The E-tender of the tenderer not submitted certified copies of above-mentioned point no 1 to 10 documents shall be rejected. The rates of only those contractors will be opened and recorded on comparative statement who pre-qualifies as per requirements mentioned here in after.

16. In case of any change in solvency, technical staff, tools and plants or change in partners of the constitution of a company after submission of documents, the same shall be intimated to the Engineer-in-charge.

17. The decision regarding pre-qualifying the contractor for the above referred will rest with the Vice Chairman of Ayodhya Development Authority, whose decision will be final. It shall be the discretion of the Department to decide as to whether an E-tender fulfils the evaluation criterion mentioned in this e-tender or not.

18. The tenderers are advised not to mix financial bid document with the PDF documents submitted for technical bid. The e-tender of the tenderers having financial bid document in the technical bid will out rightly be rejected.

19. No tender shall contact the department on any mater relating the his/her r-tender, from the time of the e-tender opening to the time the contract is awarded. If the tenderer wishes to bring additional information to the notice of the department, he/ she can do so in writing.

20. Any effort by a tenderer to influence the department in its decisions on e-tender evaluation, e-tender comparison or contract award may result in rejection the tenderer's e-tender.

21. In the event of any information furnished by the agency is found false or fabricated the minimum punishment shall be debarred/ black listing from A.D.A. works and the legal proceeding can also be initiated.

22. The contractor shall establish site office & will arrange all possible testing equipment's, required for proper executions of work on his own cost.

23. The tenderer shall clearly specify whether the tender is submitted on his own or on behalf of a partnership concern. It the tender is submitted on behalf of a partnership concern, he should submit the certified copy of partnership deep along with the tender and authorization to sign with the tender documents, the tender will be treated as having be submitted by individual signing the tender documents. The ADA will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of contract.

CONTRACTOR SIGNATURE WITH SEAL



OFFICER INVITING TENDER

Section 3 Qualification Information

(Following information's shall be furnished by the contractor on a non-judicial stamp paper of Rs. 100/- only)

Notes on Form of Qualification Information The information to be filled in by bidders in the following pages will be used for Purposed of post-qualification as provided for in clause 4 of the Instruction to Bidders. This Information will not be incorporated in the Contract. **Attach additional pages as necessary.**

1.0 Individual Bidders.

1.1	Constitution or legal status of Bidder Place of registration: Principal place of business Power of attorney of signatory of Bid	(attach copy) _____ _____ (Attach)
1.2	Total annual volume of civil engineering construction work executed and payments received in the last seven years preceding the year in which bids are invited. (Attach certificate from Chartered Accountant)	(Rs. In Lacs)

1.3.1	Work performed as prime Contractor (in the same name and style) on construction works of a similar nature and volume over the last seven years. Attach certificate from the Engineer-in-charge.
-------	---

Project Name	Name of Executive Engineer	Description of work	Value of contract	Contract No.	Date of Issue of work order	Stipulated Date of Completion	Actual Date of Completion	Remarks explaining reasons for Delay. If any

1.3.2 Information on Bid capacity (works for which bids have been submitted and works which are yet to be completed) as on the date of this bid

(A) Existing commitments and on-going construction work:

Description of work	Place & State	Contract No & Date	Name & Address of Executive Engineer	Value of Contract (Rs. In lakhs)	Stipulated period of completion	Value of works remaining to be completed (Rs. Lakhs) *	Anticipated Date of completion
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

- Enclose certificate (s) from Engineer(s)-in-charge for value of work remaining to be completed.

(B) Works for which bids already submitted:

Description of work	Place & State	Name & Address of Executive Engineer	Value of Contract (Rs. In lakhs)	Stipulated period of completion	Date when decision is expected	Remarks, if any
(1)	(2)	(3)	(4)	(5)	(6)	(7)

1.4 Availability of Major items of Contractor's Equipment proposed for carrying out the Work. List of all information requested below. Refer also to Clause 4.2(d) and Clause 4.4 (b) of the Instructions to Bidders.

Item of Equipment	Description, make, and age (Years), and capacity	Condition (new, good, poor) and number Available	Owned, leased (from whom?), or to be purchased

1.5 Qualifications of technical personnel proposed for the Contract. Refer also to Clause 4.2(e) of the Instructions to Bidders and Clause 9.1 of Part-1 General Conditions of Contract.

Position	Name	Qualification	Year of experience		
			Road Works	Building Works	Other

1.6 Proposed sub-contractors and firms involved for construction. Refer to Clause 7 of Part I General Conditions of Contract.

Sections of the Works	Value of subcontract	Sub-contractor (name and address)	Experience in similar work

Note: The capability of the sub-Contractor will also be assessed (on the same lines as for the main Contractor) before according approval to him.

1.7 Financial reports for the last five years: balance sheets, profit and loss statements, auditors' reports, etc. List below and attach copies.

1.8 Name, address, and telephone, telex, and facsimile numbers of banks that may provide references if contacted by the Executive Engineer.

1.9 a. Information on current litigation in which the Bidder I involved.

Name of Other party (s)	Cause of dispute	Litigation where (Court/arbitration)	Amount involved

1.10 Proposed Program (work method and schedule). Descriptions, drawings, and charts as necessary, to comply with the requirements of the bidding documents.

1.11 Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity for construction work is equal to or more than the total bid value. The available bid capacity will be calculated as under:

$$\text{Assessed Available Bid capacity} = (A * N * M - B)$$

Where,

A = Maximum value of civil engineering works executed in any one year during the last five years (updated to the price level of the last year at the rate of 8 percent a year) taking into account the completed as well as works in progress.

N = Number of years prescribed for completion of the works for which bids are invited (period up to 6 months to be taken as half-year and more than 6 months as one year).

M = M is taken 2.5

B = Value, at the current price level, of existing commitments and on-going works to be completed during the period of completion of the works for which bids are invited.

(Note- It is mandatory to fill all the above columns.)

Format for Anti-Collusion Certificate
Anti-Collusion Certificate

(Following information's shall be furnished by the contractor on a non-judicial stamp paper of Rs. 100/- only)

I/ We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, I / we will strictly observe the laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988".

I / We hereby certify and confirm that in the preparation and submission of our Proposal, I / we have not acted in concert or in collusion with any other Bidder or other person(s) and also not done any act, deed or thing which is or could be regarded as anti-competitive.

I / We further confirm that we have not proposed nor will proposal any illegal gratification in cash or kind to any person or agency in connection with the instant Proposal.

Dated thisDay of, 2025

.....

(Name of the Bidder)

.....

(Signature of the Bidder / Authorised Person)

.....

**Name of Work: - अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट
अयोध्या- बस्ती फ्लाईओवर पर 3D पेन्टिंग का कार्य एवं
उसके नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।**

SPECIFICATION

- | | | |
|---------------------|----|---|
| Method of tendering | 1. | The contractor must fill in ink schedule 'G' and the Supplementary schedule 'H' item by item in the several columns and must write in words well as in figures the rates per unit of measurement of each item. In column provided in the schedule 'G' and 'H' Each page of both schedules must also be signed by the contractor or duly accredited agent acting on his behalf it is strictly forbidden to modify or change the arithmetical totals of any or all the tenders' items by a percentage deduction or increase and tender is received will be liable to be rejected. |
| Terms of Tender | 2. | Firm prices in rupees and paise shall be quoted for each item in the schedule 'G' and 'H' and tender shall remain good and open for acceptance for a period of four calendar month from the date of opening of tender. |
| Water Supply | 3. | The contractor shall make his own arrangements in regard to water supply required for execution and test of the works as well as for drinking water for his own work people and he shall defray all charges in this connection and include in his rates a sufficient amount to allow for this. In case the contractors take water from Corporation taps, charges at them of 2% of the cost of the work done shall be deducted from his bill. |

Standard Detailed

- | | |
|---------------|--|
| Specification | <p>4. All works executed or materials supplied under this contract unless otherwise specific in this specification shall comply with the description set out in Public Works Department detail or the Indian standard specification or L. S. G. E. D. Detailed specifications in for as they are applicable shall be deemed to be incorporated in this contract. small and Scattered Works</p> <p>5. The contractor may be required to carry out works in small quantities repairs or minor alterations to existing drains, pipe lines. Payments, locking existing mains and other miscellaneous purposes in connection with work. He shall be paid separately for work so carried out the rate tendered in schedule 'G' and 'H' for such items i.e. for boulder masonry brick work concrete excavation plaster & pointing etc, and no claim of any extra payments on ground of small work or due to its being of scattered nature shall be entertained.</p> |
| Extra Rate | <p>6. Any new rates not given in the tender but given in the current P. W. D. schedule of rates shall be paid for according to rates on percentage (above or below) the current P.W.D. Schedule of rates calculated on the accepted tender over the estimated cost of the work or as decided by the Engineer- in- charge whichever is less.</p> <p>7. Any new rates not given in P.W.D. schedule of rates shall be decided by the Engineer- in- charge and decision will be final.</p> |
| Brick Work | <p>8. All brick works shall be paid according to brick size i.e. the thickness of walls shall half brick 4 ½" one brick 9" and 1 ½ brick 13 ½" and so on and of slab and lentels etc. 3", 4 ½", 6" and so on.</p> |

**Name of Work: - अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट
अयोध्या- बस्ती फ्लाईओवर पर 3D पेन्टिंग का कार्य एवं
उसके नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।**

SCHEDULE 'A'

The site of work can be ascertained from the Assistant Engineer (Ayodhya Development Authority, Ayodhya). The tenders are advised to inspect the site of the work Before tendering the rates so that the man fully acquaint themselves with the nature of the work to be done, the means of communication and availability of materials and water required for the work.

The contractor must complete the work in accordance with the specification and to the entire satisfaction of the Engineer In charge with the specified period.

SCHEDULE 'B'

The drawings regarding this, this work can be seen in the office of Engineer-In-Charge Ayodhya Faizabad Development Authority on any working day from 10 A.M. to 5 P.M.

SCHEDULE 'C'

Nil

SCHEDULE 'D'

The following samples be submitted by the contractor within 10 days of the receipt of orders to start the work and subsequent supplies shall not be inferior to the samples approved.

1	Bricks	10 Nos.	Surkhi	1Cft.
2	Coarse Sand	1 Cft.	Brick ballast	1 Cft.
3	Local Sand	1 Cft.	Any other sample	Desired by the Engineer
4	Hard stone grit	1 Cft.		

Materials specified by the Engineer from time to time and brought on the site of work shall occasionally be tested by the Engineer at the cost of the Contractor. The material rejected shall be removed by the contractor within 24 hours, failing which the rejected materials shall be removed or disposed of by the Ayodhya Faizabad Development Authority at the cost of the contractor.

SCHEDULE 'E'

- 1- All materials supplied by the contractor brought on the site shall be tested by the Engineer In charge frequently to check up if they confirm the specification of P.W.D.
- 2- All the rates as may be necessary shall performed at the contractor's expenses and will have to make all necessary arrangement for conducting them and when called upon on to do so to the satisfaction of the Engineer.

SCHEDULE 'F'

All works specified herein shall be completed in all respect to the entire satisfaction of the Engineer In charge and handed over to him or any persons nominated by to take over within a period ofmonths from the date of receipt written order to commence the work.

The contractor's responsibility shall, however, not & until the maintenance period of one year or one rainy season with whichever is more from the date of completion is over is any defect is notified at the contractor's cost.

Individual portions of the work may be brought into use of the Ayodhya Faizabad Development Authority as each section is completed but maintenance period of one year or one rainy season whichever is more shall be finally counted from the date of entire work under the contract is finally completed and handed over.

AYODHYA DEVELOPMENT AUTHORITY, AYODHYA

SPECIAL CONDITIONS FOR WORK

All the work shall be carried out as per detailed C.P.W.D., U.P.P.W.D., U.P. JAL NIGAM, U.P. POWER CORPORATION LTD., M.O.R.T.H. (Road Wing) specifications for road and bridge work (third revision 1995) as the case may be, latest circulars and instructions issued time to time as per instructions of Engineer-in-charge and other inspecting officers.

EXTENT OF CONTRACT

The Contract comprises construction and completion of the specified job and the provisions of all labour, materials, T&P etc. and transport, temporary works etc. whether of temporary or permanent in nature required for the construction, completion and maintenance of the work.

INSPECTIONS OF THE SITE

The tenderer (s) must inspect and examine the site of work and its surroundings and satisfy himself/themselves before submitting his/their tender. He/they has/have to make sure of the positions of quarries and availability of required material from quarries mentioned in the specifications, topography of the site availability of labour and material and other amenities before tendering. No claim for additional work or extra work due to any of the above will be allowed.

ENTRIES IN TENDER

All entries by the tenderer should be in one ink and one hand/on prescribed bill of quantity only. Erasers and overwriting are not permissible. All corrections should be neatly written and signed by the tenderer. Rate should be written in figures as well as in words. In case there is any variation, lower rate shall be treated as Tender rate.

CONDITIONAL/ INCOMPLETE TENDER

Conditional, incomplete, unsigned tenders will not be considered. Only those bidders who supply necessary proof/documents of possession of the required equipment's in their bids should be considered as responsive for further evaluation.

ADDRESS OF CONTRACTOR

The contractor shall give his full permanent postal address. The postal receipt of the letters sent to him on this address shall be considered sufficient proof that they have been delivered to him.

ACCEPTANCE OF TENDER

The department shall have the right to accept or reject any or all the tenders or part thereof, without assigning any reason to contractor and no claim whatsoever shall be entertained on this account.

SIGNING OF TENDER DOCUMENTS

Contractor shall sign each page of tender documents before offering his tender and required stamp duty on the contract deed will be borne by the contractor.

COPY OF CONTRACT

On request, the Executive Engineer may furnish the contractor with a copy of the contract.

TIME OF COMPLETION

The time of completion as shown in this tender is for completion of the entire work.

EMPLOYMENT OF LABOR

The contractor shall submit a daily report to the Engineer-in-charge regarding the total labour employed by him for the work and shall be bound to pay wages which shall not be less than the wages fixed under Minimum Wages Act.

LINE AND LEVELS

The contractor shall be solely responsible for setting out the works and for the correctness of the position, levels, dimensions and alignment according to the specification and shall provide all necessary assistance, instruments, pegs, sticks, poles and other materials, required for the purpose. The tender rates shall be deemed to include all this.

PROGRAM AND RETURNS TO BE FURNISHED

As soon as practicable, but not later than 7 days after the acceptance of his tender, the contractor shall submit to the Engineer-In-Charge for his approval, a time schedule to carry out works. The contractor shall whenever be required by the Engineer-in-charge, furnish for his information arrangements for carrying out the work. The submission to and approval by Engineer-in-charge of such program or furnishing of such particulars shall not relieve the contractor of any of his duties or responsibilities under the contracts. In addition, the contractor shall have to furnish returns of work done by him, as may be directed by the Engineer-in-charge from time to time.

EXECUTION

The contractor shall have to execute various item of works strictly according to the order and time schedule approved by the Engineer-In-Charge. Materials will also be tested as per required frequency of tests.

TECHNICAL STAFF AT SITE OF WORK

The contractor shall have to employ full time technical staff and other supporting staff for supervision of the work. Name of the technical staff employed by the contractor shall be intimated in writing to the Engineer-in-charge. Any change of technical staff during the execution of work should be intimated immediately in writing to the Engineer-in-charge.

SITE OFFICE

The contractor shall establish and maintain a site office under his authorized representative/technical staff. All relevant documents shall be kept in the site office.

SITE ORDER BOOK

A site order book shall be maintained at the site of work in which instructions shall be given to the contractor as and when necessary. These instruction/orders, shall have to be signed and complied by the Contractor or his authorized representative. The entries in 'Site Order Book' shall be treated as proper notice serving upon the contractor in terms of his contract.

LIGHTING ARRANGEMENT

The contractor shall make his own arrangement for lights during the fog end of the day in case the work is likely to be delayed due to unavoidable circumstances.

TRAFFIC CONTROL

The contractor shall take all measures necessary for the safety of traffic during execution of work and shall provide, erect and maintain such barricades, reflective signs and caution boards, making flags, lights flagmen as necessary or as directed by the Engineer-in-charge for smooth and safe flow of traffic during execution or work. The contractor shall ensure to proper maintenance of patties in 2.5m. width during execution of the bituminous work and it shall be kept always damp by regularly watering to avoid nuisance. In case of any causality taking place at the work site, the contractor shall be solely responsible for payment of any compensation etc. to the aggrieved party.

SUSPENSION OF WORK

The contractor on the written order of the Executive Engineer/Assistant Engineer shall suspend the progress of the works or any part thereof, for such time and in such manner as may be considered necessary and during such suspension shall properly protect and secure the work as far as necessary in the opinion of the Executive Engineer. Nothing extra shall be paid to the contractor if such a suspension is necessary for proper execution of the work by reason of weather or by some default or the contractor or necessary for safety of the work or any part thereof.

SAMPLES

Contractor shall make laboratory with sufficient arrangement of testing facilities, appliances and laboratory technicians etc. at site and shall always co-operate in procurement of samples, conduction tests, as may be directed and no extra payment shall be made for them. Test samples shall be taken carefully in accordance with the I.S.I. method of sampling, no plea shall be entertained on this account. Job Mix Formula for B.M. and S.D.C. shall be done from any reputed authority by the contractor on his cost.

TESTING MATERIALS

All materials and workmanship shall be of the respective kind described in the contract and in the accordance with Engineer-in-charge instructions and shall be subjected from time to time to the testes mentioned under specifications. The contractor shall provide such assistance, labour and materials as are normally required for examining measuring and testing of the works and quantity weight or quality of materials used and shall supply materials, sufficiently in advance for testing as mentioned under specifications. The materials used subsequently for execution of the work shall strictly conform to the quality and sample approved. Necessary test for which facilities are not available locally or at site shall be conducted in the nearest available government controlled

Laboratories/Research Institute, Lucknow or any other reputed technical institution. Cost of such testing and forwarding of sample to the laboratory etc. shall be borne by the contractor and nothing extra shall be paid on this account. Regular quality control test registers shall be maintained by the contractor.

ROYALTIES AND TAXES ETC.

The contractor shall pay all royalties, license fee, other charge at quarry, octroi duties, custom duties, toll taxes, trade tax and any other local taxes as may be levied. No passes for octroi or toll levied by local bodies on toll bridges shall be issued by the Department. Rate shall inclusive of the same. Nothing extra shall be paid due to fluctuations in the cost of materials, machines, bitumen, P.O.L., labour and all types of taxes etc.

COMPLIANCE WITH LOCAL BYE LAWS

The contractor shall throughout the continuance of the contract and in respect of all matters arising out of performance thereof, conform with all required regulating and bye-laws of the local or other authorities which may be applicable to the works.

ROAD TRANSPORT

The contractor employing motor vehicles for transport of material shall abide by provisions of the Motor Vehicles Act.

DAMAGES BY RAINS, ACCIDENTS OR NATURAL CALAMITIES

No payment will be made to the contractor for damage caused by rains, accidents or other natural calamities during the progress of work. No claim whatsoever shall be entertained on this account.

DEFAULT OF CONTRACTOR IN COMPLIANCE

Constant defiance of the instructions of Engineer-in-charge on the part of the contractor or his authorized agent will make the contract liable to be terminated.

CLEARANCE OF SITE ON COMPLETION

The contractor shall at all times keep the premises free from accumulated waste materials or rubbish caused by his employees on the works and on completion of the work, he shall clear away and remove from site all surplus materials, rubbish and temporary work of any kind and fill up borrow pits dug by him. He shall leave whole of the site and work clean and in a workmanlike condition to the entire satisfaction of the Engineer-in-charge.

विभाग का नाम (विभागीय लेटर हेड पर)

पत्रांक-

दिनांक-

अनुभव प्रमाण-पत्र

प्रमाणित किया जाता है कि मै0 निवासी
..... द्वारा (विभाग का नाम)
..... में अनुबन्ध संख्या- दिनांक
..... के अन्तर्गत निम्नानुसार कार्य पूर्ण किया गया।

1.	कार्य का नाम	-	
2.	(अ) अनुबन्ध धनराशि	-	
3.	कार्य की कम्पलीशन धनराशि	-	
	क्र0	अनुबन्ध में सम्मिलित कम्बाइंड मुख्य कार्यों का विवरण	कम्पलीशन के अनुसार धनराशि
	1	भवन कार्य (आर0सी0सी0 स्ट्रक्चर/ ब्रिक वर्क)	
	2	सड़क कार्य	
	3	सीवर कार्य	
	4	नाली / नाला / आर0सी0सी0 नाला का कार्य	
	5	जलापूर्ति कार्य	
	6	पार्क	
	7	औद्यानीकरण, व इससे सम्बन्धित कार्य	
	8	अन्य	
4.	अनुबन्धानुसार कार्य प्रारम्भ करने व समाप्ति तिथि	-	
5.	कार्य समाप्ति की वास्तविक तिथि	-	
	(1) समयवृद्धि प्रदान की गई अर्थदण्ड मुक्त / अर्थदण्ड सहित/ अर्थदण्ड निर्धारित नहीं किया गया	-	
	कार्य की गुणवत्ता		
	(1) Very Good/ अति उत्तम, Good/ उत्तम, Very Fair/ संतोषजनक		

- वैधानिक कार्यवाही हेतु मान्य नहीं।
- यह प्रमाण पत्र ठेकेदार/ फर्म के अनुरोध दिनांक.....के क्रम में निर्गत किया जा रहा है।

(सक्षम अधिकारी का नाम एवं हस्ताक्षर)

(विभाग का नाम पद सहित)

(मोहर)

PART- II

वित्तीय बिड

**AYODHYA DEVELOPMENT AUTHORITY,
AYODHYA**

Civil line, parikrma marg. (Near D.M. Avas) Ayodhya

PRICE BID


Name of work: - अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट अयोध्या- बस्ती फ्लाईओवर पर 3D पेन्टिंग का कार्य एवं उसके नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।

SCHEDULE "G"

Name of Work- अयोध्या में स्थित धर्मपथ पर साकेत पेट्रोल पम्प के निकट
अयोध्या- बस्ती फ्लाईओवर पर 3D पेन्टिंग का कार्य एवं उसके
नीचे स्थित पार्क का सौन्दर्यीकरण का कार्य।

1. DATE OF CALLING TENDER - 10.09.2025
2. DATE OF OPENING TENDER - 19.09.2025, 01:00 PM
3. COST OF TENDER - 41,36,218.25
4. EARNEST MONEY - 82,750.00
5. VALIDITY OF TENDER - 01 month


J.E.


A.E.

I/We hereby execute the work on% above/below/
at par (both on words and figures)

CONTRACTOR'S SIGN.

ADDRESS:

**Detailed Estimate for the proposed beautification work of Flyover near Saket
Petrol Pump**


FORM - 'J'

Sl. No.	Description of Items	Amount (Rs. In Lacs)
1	Painting work of bridge and development of Toilet area	2975440.250
2	Horticulture	87205.500
3	Electrical Work	1073572.500
a)	TOTAL PROJECT COST	4136218.250
b)	Add 18% for G.S.T	744519.285
	Total Cost	4880737.535

संतोष कुमार त्रिपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

सहायक अधीक्षक
अयोध्या वि० प्रा० अयोध्या

अधिसासी अभियन्ता
अयोध्या वि० प्रा० अयोध्या



Detailed Estimate for the proposed beautification work of Flyover near Saket Petrol Pump		
Abstract of Cost		
S.No.	DESCRIPTION OF ITEM	AMOUNT (In Rs)
1	Painting work of bridge and development of Toilet area	2975440.25
2	Horticulture	87205.50
3	Electrical Work	1073572.50
	TOTAL PROJECT COST	4136218.25

संतोष कुमार निपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

सहायक आ. नि. ता.
अयो. वि. प्रा. अयोध्या

अधिरासी अभियन्ता
अयो. वि. प्रा. अयोध्या

Detailed Estimate for the proposed beautification work of Flyover near Saket Petrol Pump

Bill of quantities

S.No.	DSR 2023/SOR 2025 Item No.	DESCRIPTION OF ITEM	QTY	UNIT	RATE with GST	BARE RATE FACTOR ON CPWD DSR -2023 =(0.735*1.03%)= 0.757	BARE RATE	Amount
					X	Y=X*0.757		
1	2	3	4	5	6	7	8	9
1	15.2.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	10.00	cum	2434.25	1842.727	1842.727	18427.27
2	SOR Ayodhya Sl. No. 708	Scraping old white or colour wash including disposal of refuse material as directed by Engineer-in-charge with a distance of 60 metre (200 feet)	695.00	sqm			12.000	8340.00
3	13.99.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	396.00	sqm	102.80	77.820	77.820	30816.72
4	13.47.1	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	786.00	sqm	171.10	129.523	129.523	101805.08
5	MR	3D Painting on flyover	3372.00	sqm			699.000	2357028.00
6	11.29.1	40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone. Red sand stone	79.00	sqm	1526.05	1155.220	1155.220	91262.38
7	2.1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- charge: All kinds of soil	161.00	sqm	129.85	98.296	98.296	15825.66
8	4.1.8	Proving and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to planth leve: 1:4:8 (1 cement:4 coarse sand (zone-II) derivedfrom natural source : 8 graded stone aggregate 40 mm nominal size derivedd from natural sources)	14.00	cum	6812.00	5156.684	5156.684	72193.58
9	16.68	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	161.00	sqm	972.00	735.804	735.804	118464.44

संतोष कुमार त्रिपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

सहायक अभियन्ता
अयोध्या विकास प्राधिकरण
अयोध्या

S.No.	DSR 2023/SOR 2025 Item No.	DESCRIPTION OF ITEM	QTY	UNIT	RATE with GST	BARE RATE FACTOR ON CPWD DSR -2023 =(0.735*1.03%)= 0.757	BARE RATE	Amount
1	2	3	4	5	6	7	8	9
10	16.69	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured to calculate volume for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	5.00	cum	10117.6	7659.023	7659.023	38295.12
11	MR	Benches 4x2 ft, Material. FRP & GI FRP & GI w/ H. Powder Coating	6.00	Each			20497.000	122982.00
		Total						2975440.25

संतोष कुमार शिवाजी
प्रोजेक्ट मैनेजर (निर्माण)
अयोध्या विकास प्राधिकरण
अयोध्या

संतोष कुमार शिवाजी
अध्यक्ष निगम
अयोध्या निगम

Detailed Estimate for the proposed beautification work of Flyover near Saket Petrol Pump

Bill of Quantity (Horticulture)

Sl. No.	SCH ITEM	DESCRIPTION OF ITEM	QTY	UNIT	RATE with GST	BARE RATE FACTOR ON CPWD DSR - (H&L) 2020 =0.90	BARE RATE	Amount
					X	Y=X*0.90		
		HORTICULTURE						
1	DSR HORTI 2020 Item no. 6.12	Providing and stacking of Duranta Golden, having ht.15 to 20 cm bushy shape with fresh and healthy leaves in 15 cm size of Earthen Pot / Plastic Pot & as per direction of the officer-in charge.	356.00	each	20.00	18.000	18.000	6408.00
2	DSR HORTI 2020 Item no. 2.34	Providing & laying Selection no. 1 doob grass turf with earth 50mm to 60mm thickness of existing ground prepared with proper level and ramming with required tools wooden and than rolling the surface with light roller make the surface smoothen and light watering the same and maintenance for 30 days or more till the grass establish properly, as per direction of the officer in charge	1026.00	sqm	87.50	78.750	78.750	80797.50
		TOTAL						87,205.50

संतोष कुमार त्रिपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

सहायक अभियंता
अयोध्या विकास प्राधिकरण



THE UNIVERSITY OF CHICAGO
LIBRARY

1975

THE UNIVERSITY OF CHICAGO
LIBRARY
1975

1975

Detailed Estimate for the proposed beautification work of Flyover near Saket Petrol Pump						
ELECTRICAL BOQ FOR FLYOVER						
ITEM NO.	Description	SOR-2022 Schedule Item No	Unit	Qty.	Rate (INR)	AMOUNT (INR)
1	Supply and laying of aluminium conductor PVC insulated armoured served sheathed 3core 6 sqmm XLPE cables 1100 Volts grade at a depth of 750 mm below ground level over a cushion of 75 mm. thick sand all around and protected with burnt bricks on sides and on top. On surface the cable run shall be fixed on M.S. clamps etc. of suitable size or as directed by the Engineer-Incharge ,complete in all respect. The armouring of the cable shall be properly connected with the earth conductor by clamps etc.The cable will be connect to existing Electrical Panel.Make-UP PWD Approved	SOR -22-501/e	Mtr	853.00	275.00	234575.00
2	Supply and laying of aluminium conductor PVC insulated armoured served sheathed 3.5 core 35 sqmm XLPE cables 1100 Volts grade at a depth of 750 mm below ground level over a cushion of 75 mm. thick sand all around and protected with burnt bricks on sides and on top. On surface the cable run shall be fixed on M.S. clamps etc. of suitable size or as directed by the Engineer-Incharge ,complete in all respect. The armouring of the cable shall be properly connected with the earth conductor by clamps etc.The cable will be connect to existing Electrical Panel.Make-as per UP PWD Approved		mtr	150.00	448.00	67200.00
3	Supply and fixing of 3 Watt to 4 Watt LED Spot/Spike light Confirming to IP 65 and above Protection complete in all respect.	SOR-2022/1441 A	Nos	148.00	1860.00	275280.00
4	Supply and fixing of decorative 8 to 16 Watt LED bollard luminaire with driver set confirming to IP 65 and above protection complete in all respect. tap.The bidder should be provide the sample of light for approval.Make-UP PWD Approved CAT-AAA	SOR-22-1442	Nos	48.00	6810.00	326880.00
5	Supply and fixing of automatic out door type street light cubicle control panel painted with anti corrosive alkali and acid proof paint consisting of time switch(Timer) TSO 100 series with contactors, HRC fuses/MCB, isolating switch metering instrument & instrument box with CTs with 32A TPN, complete in all respect. Distribution Boards dust proof, verm-in proof, with hinged and lockable doors complete inter-connection with copper wire , insulated copper bus bar , cable glands/-conduit entry bushes, grounding to earth and paint-ing. Also provide separate neutral busbar for each phase. Provide separate Earth Links for each phase. Use brass thimbles for connections of all wires also provide the provision of out going feeder space for 6nos DP MCB.All Equipments should be as per UP PWD.	SOR-807	Nos	1.00	32500.00	32500.00
6	S&F of 63 Amp. 4 pole MCB(10 KA) C Curve	SOR-22/1020A	NOS	1.00	2210.00	2210.00
7	Supply and fixing of 6 Amp. to 32 Amp. DP MCB (10 KA) C Curve	SOR-1009	Nos	12.00	730.00	8760.00
8	S&F and making connection of 63A 2 pole 30mA ELCB/RCCB of Din Rail Mounting complete in all respect as per direction and satisfaction to the Engineer in charge.	SOR-394	Nos	3.00	2830.00	8490.00

सहायक अभियंता
प्रोजेक्ट इंजीनियर (सिविल)
अयोध्या विद्युत प्राधिकरण
अयोध्या

सहायक अभियंता
अयोध्या विद्युत प्राधिकरण
अयोध्या


ITEM NO.	Description	SOR-2022 Schedule Item No	Unit	Qty.	Rate (INR)	AMOUNT (INR)
9	Supply and burring of Safe Earthing Electrode T-19, (Hot Dip Galvanized), Length up to 3000mm, outer Dia 50 mm inner Dia 25 mm, terminal Dia 12mm, outer GI pipe of 16 swg and inner GI pipe of 12 swg with Hot Dip Galvanization up to 100 micron filled with crystalline conductive mixture (CCM) having anti corrosive & conductive property with 50 kgs activated soil (BFC) capable of reducing the soil resistivity with good mixture of retaining capacity and one earthing lead of 25mm x 3mm G.I. strip, upto switch board (from apron to switch board, the cost of G.I. strip will be extra) along with 30 cm square C.I. frame with hinged cover & masonry housing. Make: As approved in U.P. P.W.D., & C.P.R.I. Certified.	SOR-2018/725 B	NOS	2.00	10040.00	20080.00
10	For LT Connection					97597.50
	TOTAL					1073572.50

संतोष कुमार त्रिपाठी
प्रोजेक्ट इंजीनियर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

संतोष कुमार त्रिपाठी
अयोध्या विकास प्राधिकरण
अयोध्या



PROPOSAL FOR BEAUTIFICATION OF SAKET PETROL PUMP FLYOVER, AT AYODHYA




प्रोजेक्ट मॅनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

AYODHYA DEVELOPMENT AUTHORITY

[illegible]

(Watermark)





EXISTING
PHOTOGRAPHS OF
SAKET PETROL PUMP
FLYOVER

श्री. लक्ष्मी कृष्ण त्रिपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास निगम
अयोध्या


अयोध्या विकास निगम
अयोध्या

CONCEPT

"Inspired by Lotus ceiling"


Lighting design will play a crucial role—soft golden glows at night will highlight the pattern, recalling the atmosphere of festivity and devotion associated with Ayodhya.

The choice of warm earthy tones will evoke the permanence and sacredness of ancient construction.



प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

अयोध्या





1. The first part of the report is a general introduction to the subject of the study. It discusses the importance of the study and the objectives of the research. It also provides a brief overview of the methodology used in the study.



2. The second part of the report is a detailed description of the study area. It includes information about the location of the study area, the population of the study area, and the characteristics of the study area. It also discusses the data sources used in the study.

3. The third part of the report is a detailed description of the study results. It includes information about the findings of the study, the conclusions drawn from the findings, and the implications of the findings. It also discusses the limitations of the study and the need for further research.



4. The fourth part of the report is a conclusion and recommendations section. It summarizes the main findings of the study and provides recommendations for future research and policy. It also discusses the overall impact of the study and the need for further research.

PROPOSED CEILING DESIGN






Soft glowing lights with Ramayana-inspired patterns in warm earthy tones will create a diffused, artistic effect, giving the flyover a unique identity and enhancing its beauty



राष्ट्रीय
प्रोजेक्ट मंजूर (सी.वेल)
अयोध्या विकास प्राधिकरण
अयोध्या

प्रोजेक्ट अविधान्त
० प्रा० अयोध्या



PROPOSED FLYOVER DESIGN








अयोध्या विकास प्रतिकरण
अयोध्या

The space beneath the flyover can be beautified by creating seating areas complemented with small bollard lights and landscaped green zones.

SPACE BENEATH FLYOVER



सतोष कुमार त्रिपाठी
प्रोजेक्ट मैनेजर (सिविल)
अयोध्या विकास समिति
अयोध्या



PROPOSAL FOR SPACE BENEATH FLYOVER



अध्यक्ष (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

अध्यक्ष (सिविल)
अयोध्या विकास प्राधिकरण
अयोध्या

THE UNIVERSITY OF MICHIGAN

THANKYOU

